

# Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657289

MODELLO  
Q70SG/E801

SERIE  
QUEEN 7

## GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs.

As a total guarantee, all equipment that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



## TECHNICAL SPECIFICATIONS

Stainless steel outer shells and feet.  
Height of the work surface adjustable from 840 to 900 mm.  
Tops with a thickness of 2 mm.  
Aisi 304 steel burner controlled by safety valve and thermocouple.  
Piezo ignition.  
Adjustable temperature up to 350°C.  
Device for adjusting the height of the grids on two levels.  
Perimeter splash guard risers (h max=12mm).  
Canal with drainage hole and removable grease and residue collection.  
Internal drawer for collecting residual carbonaceous.

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Electric version with tilting heating elements to facilitate the cleaning process

# Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657289

MODELLO  
Q70SG/E801

SERIE  
QUEEN 7

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1657289
DEFINITION	Q70SG/E801 GRIGLIA ELE. PESCE M80 TOP
COMMERCIAL LINE	QUEEN
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	700 mm
DIM. HEIGHT	250 mm
NET WEIGHT	0.5 Kg
VOLUME (net)	0.14
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	550 mm
PACKAGE VOLUME	0,396 m3
GROSS PACKING WEIGHT	1 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	8 kW
IP GRADE	IPX5
CERTIFIED MODEL	Q70SG/E801

Super Electric Grill M80 - Stainless Steel Rod Grill - M80  
Top Version

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657289

MODELLO  
Q70SG/E801

SERIE  
QUEEN 7

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda	
<b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	<b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
<b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
<b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno <b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukkelep - Válvula de depressão	<b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel
<b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	
<b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	

# Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657289

MODELLO  
Q70SG/E801

SERIE  
QUEEN 7

## PRODUCT'S RANGE PLUS



4 Grill types available: meat, fish,  
mixed stainless steel and reversible  
cast iron meat/fish version



Smoker that can be installed on  
models M40-M80 - M120 for a  
barbecue flavour menu. Made of  
AISI304 stainless steel. Kit equipped  
with a guide for sliding the smoker  
box. The smoker box can be filled  
with wood shavings or food-grade  
wood pellets and replaced while the  
grill is in use.



4 Types Grills available: meat, fish,  
mixed stainless steel and reversible  
cast iron meat/fish version



Exclusive stainless steel power-  
boosting system (PBS) that  
optimizes and channels the heat  
generated by the heating elements  
to the cooking zone.



HUMIDIFIER accessory for optimal  
management of several types of  
cooking.



Grill height adjustment for handling  
different types of cooking



Electric version with fold-down  
heating elements to facilitate the  
cleaning process.

# Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657289

MODELLO  
Q70SG/E801

SERIE  
QUEEN 7

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1658159	Q7AF	Q70 SUPER GRILL SMOKER KIT
CR1658199	Q74GG	Cast Iron Grid M80 Q7
CR1658209	Q74GTI	M80 Q7 Stainless Round Grate
CR1658399	Q74GI	Stainless Grid M80 Q7
CR1658219	Q74GM	Mixed Meat/Fish Grill M80 Q7
CR1658509	Q7KU8E	QUEEN 7 M80 ELECTRIC GRILL HUMIDIFIER KIT