

2-ZONE GLASS-CERAMIC COOKER - ON CABINET

Project
Rev.:
Zone:
Location:



CODICE
CR1011879

MODELLO
N550PCV/VCE900

SERIE
SERIE GIANO

GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used. Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Unbreakable watertight glass-ceramic top.

Cooking zone (27x27 cm) marked with square silkscreen printing, indicating the size of the ideal vessel to be used.

The power of each individual zone is 4 kW.

Temperature adjustable by thermostat from 70 to 450°C.

Heating activation indicator light and residual heat indicator light on the top.

2-ZONE GLASS-CERAMIC COOKER - ON CABINET

Project
Rev.:
Zone:
Location:



CODICE
CR1011879

MODELLO
N550PCV/VCE900

SERIE
SERIE GIANO

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1011879
DEFINITION	N550PCV/VCE900 VETROCERAMICA M90 A/G
COMMERCIAL LINE	SERIE 1100
SUPPLY	ELECTRICS
DIM. WIDTH	900 mm
DIM. PRODUCTIVITY	550 mm
DIM. HEIGHT	870 mm
NET WEIGHT	0 Kg
VOLUME (net)	0.431
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0 mm
PACKAGING HEIGHT	0 mm
PACKAGE VOLUME	0,000 m3
GROSS PACKING WEIGHT	0 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	8 kW
IP GRADE	IPX4
CERTIFIED MODEL	N550PCV/VCE900

2-ZONE GLASS-CERAMIC COOKER - ON CABINET

CODICE	MODELLO	SERIE
CR1011879	N550PCV/VCE900	SERIE GIANO

Project
Rev.:
Zone:
Location:

