

# KITCHEN 4 ELECTRIC HOTPLATES ON STATIC ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0855789

MODELLO  
6NPC/EFE700P

SERIE  
SERIE 600

## GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



## TECHNICAL SPECIFICATIONS

Electric cookers have round cast iron plates hermetically fixed on the top and are 180 mm and 220 mm in diameter, with 1.5 and 2.6 kW power respectively.

Also available in upgraded versions with all 2.6 kW plates.

Static or ventilated GN 1/1 electric oven with adjustable temperature from 110-280°C.

The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

# KITCHEN 4 ELECTRIC HOTPLATES ON STATIC ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0855789

MODELLO  
6NPC/EFE700P

SERIE  
SERIE 600

## Technical Information

| SPECIFICATION         | DATA                                   |
|-----------------------|--|
| MATERIAL              | CR0855789                              |
| DEFINITION            | 4 PIASTRE E.FEL/ST 60 M70 6NPC/EFE700P |
| COMMERCIAL LINE       | SERIE 600                              |
| SUPPLY                | ELECTRICS                              |
| DIM. WIDTH            | 700 mm                                 |
| DIM. PRODUCTIVITY     | 600 mm                                 |
| DIM. HEIGHT           | 870 mm                                 |
| NET WEIGHT            | 81.2 Kg                                |
| VOLUME (net)          | 0.365                                  |
| PACKAGE LENGTH        | 650 mm                                 |
| PACKAGE WIDTH         | 750 mm                                 |
| PACKAGING HEIGHT      | 1150 mm                                |
| PACKAGE VOLUME        | 0,561 m3                               |
| GROSS PACKING WEIGHT  | 95 Kg                                  |
| STANDARD POWER SUPPLY | 380-415V 3N                            |
| FREQUENCY             | 50-60 Hz                               |
| ELECTRICAL POWER      | 14.6 kW                                |
| IP GRADE              | IPX3                                   |
| CERTIFIED MODEL       | 6NPC/EFE700P                           |

# KITCHEN 4 ELECTRIC HOTPLATES ON STATIC ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....




CODICE  
CR0855789

MODELLO  
6NPC/EFE700P

SERIE  
SERIE 600

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



## LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel

## KITCHEN 4 ELECTRIC HOTPLATES ON STATIC ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....




CODICE  
CR0855789

MODELLO  
6NPC/EFE700P

SERIE  
SERIE 600

# PRODUCT'S RANGE PLUS



The plates are hermetically attached to the top, which has a vessel for collecting liquids and is completely smooth for easier cleaning.



The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

Equipment is certified and compliant with the Low Voltage Directive 2014/35/EU according to the international CB scheme

