

# ELECTRIC FRY TOP SMOOTH CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1207669

MODELLO  
DI7FTE405

SERIE  
DROP-IN 7

## GENERAL CHARACTERISTICS



## TECHNICAL SPECIFICATIONS

# ELECTRIC FRY TOP SMOOTH CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1207669

MODELLO  
DI7FTE405

SERIE  
DROP-IN 7

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1207669
DEFINITION	DI7FTE405 FRY-TOP EL.LC M40 DROP-IN
COMMERCIAL LINE	SERIE DROP IN
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	625 mm
DIM. HEIGHT	250 mm
NET WEIGHT	35 Kg
VOLUME (net)	0.063
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	840 mm
PACKAGING HEIGHT	520 mm
PACKAGE VOLUME	0,192 m3
GROSS PACKING WEIGHT	41 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	5.4 kW
IP GRADE	IPX4
CERTIFIED MODEL	DI7FTE405

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



## ELECTRIC FRY TOP SMOOTH CHROME PLATE

CODICE  
**CR1207669**

MODELLO  
**DI7FTE405**

SERIE  
**DROP-IN 7**

# ELECTRIC FRY TOP SMOOTH CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1207669**

MODELLO  
**DI7FTE405**

SERIE  
**DROP-IN 7**

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0985219	<b>70XFTP4</b>	SPLASH GUARD FOR FRY TOP MODULE 400
CR0985229	<b>70XFTP6</b>	SPLASH GUARD FOR FRY TOP MODULE 600
CR0985239	<b>70XFTP8</b>	SPLASH GUARD FOR FRY TOP MODULE 800
CR0592060	<b>NXFTT</b>	PLANCHA CLEANING PLUG