

STORAGE TABLE GN 1/1 (1 DOOR TEMP -15/-20°C) TOP WITH SPLASHBACK

Project
Rev.:
Zone:
Location:



CODICE
BN26KK5000203LB

MODELLO
BOKBT01PA

SERIE
**REFRIGERATED
TABLES**

GENERAL CHARACTERISTICS

Baron refrigerated tables, all certified for efficiency and quality, guarantee the perfect observation of raw materials, processed delicatessen products, thanks also to an automatic door closing system with magnetic gasket.



TECHNICAL SPECIFICATIONS

Cell bottom printed with rounded corners and removable grid supports for the maximum degree of hygiene and load flexibility. Insulation thickness of 60 mm, made of high-density expanded polyurethane, completely free of CFC. Fully extractable drawers, thanks to special Fuller telescopic guides in stainless steel. Self-closing door with 100° opening lock. Lower hinge fixed frontally for installation on the plinth.

REFRIGERATION UNIT

Evaporators positioned behind each door pillar to ensure uniform cold distribution

Evaporators with treatment in cataphoresis

CONTROLS, MONITORING, AND SAFETY FEATURES:

Electronic control board with HACCP function

Hot gas defrost system (onboard motor versions)

Electric defrost (on predisposed versions)

Automatic evaporation device for condensate water without the need for electrical energy

STORAGE TABLE GN 1/1 (1 DOOR TEMP -15/-20°C) TOP WITH SPLASHBACK

Project
Rev.:
Zone:
Location:



CODICE
BN26KK5000203LB

MODELLO
BOKBT01PA

SERIE
REFRIGERATED
TABLES

Technical Information

| SPECIFICATION | DATA |
|-----------------------|-----------------|
| MATERIAL | BN26KK5000203LB |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 915 mm |
| DIM. PRODUCTIVITY | 700 mm |
| DIM. HEIGHT | 950 mm |
| NET WEIGHT | 80 Kg |
| VOLUME (net) | 0.608475 |
| PACKAGE VOLUME | 0.763 m3 |
| GROSS PACKING WEIGHT | 90 Kg |
| STANDARD POWER SUPPLY | 220-240V 1N |
| FREQUENCY | 50Hz |
| ELECTRICAL POWER | 0.48 kW |
| GAS/REFRIGERANT TYPE | R452a |
| IP GRADE | IPX4 |
| CAPACITY | 123 |

STORAGE TABLE GN 1/1 (1 DOOR TEMP -15/-20°C) TOP WITH SPLASHBACK

Project
Rev.:
Zone:
Location:



CODICE
BN26KK5000203LB

MODELLO
BOKBT01PA

SERIE
REFRIGERATED
TABLES



OK 1 DOOR
GASTRONORM H 660
REFRIGERATED COUNTERS
KÜHLTISCHE / TAVOLI REFRIGERATI
TABLES REFRIGEREES
MESAS REFRIGERADA
GEKOELDE WERKBANKEN
ОХЛАЖДЕННЫЕ ПРИЛАВКИ



STORAGE TABLE GN 1/1 (1 DOOR TEMP -15/-20°C) TOP WITH SPLASHBACK

Project
Rev.:
Zone:
Location:



CODICE
BN26KK5000203LB

MODELLO
BOKBT01PA

SERIE
REFRIGERATED
TABLES

PRODUCT'S RANGE PLUS



Evaporators placed behind each door pillar to ensure uniformity in cold distribution.



Ease of programming and immediate accessibility. The solution for quick and easy use.



Capacitor protected by filters to ensure optimal operation over time.



Molded cell bottom with rounded edges and removable grid supports for maximum hygiene and loading flexibility.



Full extension drawers with special Fuller stainless steel telescopic slides