

REFRIGERATED TABLE (1 DOOR TEMP -2/+8°C)

Project
Rev.:
Zone:
Location:



CODICE
BN26WC000020376T4W

MODELLO
BOW01-T4W

SERIE
BARON 4.0

GENERAL CHARACTERISTICS

From the solid foundation of Baron tradition, comes the new Queen 4.0 kitchen, even more practical, more accessorized, more technological.

An evolution in the field of professional kitchens.

Queen 4.0 is perfectly designed in detail to speed up and simplify every task of preparation, cooking, tidying up, and cleaning in the kitchen, and stand by you every day as a true ally in your work.



4.0 READY

TECHNICAL SPECIFICATIONS

Environmentally friendly refrigerant R290

Removable condensing unit

Easy access to electric and electronic components

Automatic defrosting

Moulded cell base with rounded corners and removable rack supports for easy-cleaning and loading flexibility

Ventilated refrigeration system (perfectly painted and fairing evaporator).

Fully removable filter

EQUIPMENT: 1 Rilsan GN 1/1 grid

4-inch touch screen

Out-of-cell evaporator for greater loading comfort with cataphoresis treatment

Data collection, operation monitoring, remote control are just some of the possibilities that connectivity puts at your disposal.

REFRIGERATED TABLE (1 DOOR TEMP -2/+8°C)

Project
Rev.:
Zone:
Location:



CODICE
BN26WC000020376T4W

MODELLO
BOW01-T4W

SERIE
BARON 4.0

Technical Information

SPECIFICATION	DATA
MATERIAL	BN26WC000020376T4W
SUPPLY	ELECTRICS

REFRIGERATED TABLE (1 DOOR TEMP -2/+8°C)


Project
Rev.:
Zone:
Location:



CODICE
BN26WC000020376T4W

MODELLO
BOW01-T4W

SERIE
BARON 4.0



REFRIGERATED TABLE (1 DOOR TEMP -2/+8°C)

Project
Rev.:
Zone:
Location:



CODICE
BN26WC000020376T4W

MODELLO
BOW01-T4W

SERIE
BARON 4.0

PRODUCT'S RANGE PLUS



Data collection, operation monitoring, remote control are just some of the possibilities that connectivity puts at your disposal.

REFRIGERATED TABLE (1 DOOR TEMP -2/+8°C)

Project
Rev.:
Zone:
Location:



CODICE
BN26WC000020376T4W

MODELLO
BOW01-T4W

SERIE
BARON 4.0

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1357499	4.0IOTPRO	PRO Subscription - Cloud
CR1357479	4.0IOTENTRY	ENTRY Subscription - Cloud