

Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project
Rev.:
Zone:
Location:



CODICE
CR1657949

MODELLO
Q90SG/E801

SERIE
QUEEN 9

GENERAL CHARACTERISTICS

It is the choice of those who need maximum strength and power. Queen9 is distinguished by its 900 mm depth, a 20/10-thick work surface, double-crown burners, and the use of elegant stainless steel with a Scotch Brite finish.

Details that not only offer maximum functionality and aesthetics, but also take into account the practical and ergonomic needs of those who work.

The extreme freedom of composition allows top models to be combined with accessorizable oven and neutral base units, even with hygienic finishes.

With more than 350 models immediately available in the catalog, Queen9 is already ready to start giving its best.

In addition, all equipment that makes up a Queen9 kitchen is certified in compliance with international standards, including CE, GAR, AGA and others.



TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.

Canal with drainage hole and removable grease and residue collection.

Internal drawer for collecting residues.

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions.

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Electric version with tilting heating elements to facilitate the cleaning process

Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project
Rev.:
Zone:
Location:



CODICE
CR1657949

MODELLO
Q90SG/E801

SERIE
QUEEN 9

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1657949
DEFINITION	Q90SG/E801 GRIGLIA ELE. PESCE M80 TOP
COMMERCIAL LINE	QUEEN
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NET WEIGHT	0.5 Kg
VOLUME (net)	0.18
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	550 mm
PACKAGE VOLUME	0,476 m3
GROSS PACKING WEIGHT	1 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	13 kW
IP GRADE	IPX4
CERTIFIED MODEL	Q90SG/E801

Super Electric Grill M80 - Stainless Steel Rod Grill - M80
Top Version

Project
Rev.:
Zone:
Location:




CODICE
CR1657949

MODELLO
Q90SG/E801

SERIE
QUEEN 9

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda	
E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água
S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresi3n - Onderdrukkelep - Válvula de depress3o	L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel
S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de água interstícios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	
S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubula33o de dreno	

Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project
Rev.:
Zone:
Location:



CODICE
CR1657949

MODELLO
Q90SG/E801

SERIE
QUEEN 9

PRODUCT'S RANGE PLUS



4 Grill types available: meat, fish,
mixed stainless steel and reversible
cast iron meat/fish version



Smoker that can be installed on
models M40-M80 - M120 for a
barbecue flavour menu. Made of
AISI304 stainless steel. Kit equipped
with a guide for sliding the smoker
box. The smoker box can be filled
with wood shavings or food-grade
wood pellets and replaced while the
grill is in use.



4 Types Grills available: meat, fish,
mixed stainless steel and reversible
cast iron meat/fish version



Exclusive stainless steel power-
boosting system (PBS) that
optimizes and channels the heat
generated by the heating elements
to the cooking zone.



HUMIDIFIER accessory for optimal
management of several types of
cooking.



Grill height adjustment for handling
different types of cooking



Electric version with fold-down
heating elements to facilitate the
cleaning process.

Super Electric Grill M80 - Stainless Steel Rod Grill - M80 Top Version

Project
Rev.:
Zone:
Location:



CODICE
CR1657949

MODELLO
Q90SG/E801

SERIE
QUEEN 9

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1658259	Q9AF	Q90 SUPER GRILL SMOKER KIT
CR1658299	Q94GG	Cast Iron Grid M80 D9
CR1658309	Q94GTI	M80 Q9 Stainless Round Grate
CR1658559	Q94GI	Stainless Grid M80 Q9
CR1658319	Q94GM	Mixed Meat/Fish Grill M80 Q9
CR1658579	Q9KU8E	QUEEN 9 M80 ELECTRIC GRILL HUMIDIFIER KIT