

# ELECTRIC FRY TOP RIBBED CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1207679**

MODELLO  
**DI7FTE415**

SERIE  
**DROP-IN 7**

## GENERAL CHARACTERISTICS



## TECHNICAL SPECIFICATIONS

# ELECTRIC FRY TOP RIBBED CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1207679**

MODELLO  
**DI7FTE415**

SERIE  
**DROP-IN 7**

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1207679
DEFINITION	DI7FTE415 FRY-TOP EL.RC M40 DROP-IN
COMMERCIAL LINE	SERIE DROP IN
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	625 mm
DIM. HEIGHT	250 mm
NET WEIGHT	0 Kg
VOLUME (net)	0.063
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	520 mm
PACKAGE VOLUME	0,192 m3
GROSS PACKING WEIGHT	27 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	5.4 kW
IP GRADE	IPX4
CERTIFIED MODEL	DI7FTE415

# ELECTRIC FRY TOP RIBBED CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1207679**

MODELLO  
**DI7FTE415**

SERIE  
**DROP-IN 7**

# ELECTRIC FRY TOP RIBBED CHROME PLATE

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1207679**

MODELLO  
**DI7FTE415**

SERIE  
**DROP-IN 7**

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0985219	<b>70XFTP4</b>	SPLASH GUARD FOR FRY TOP MODULE 400
CR0985229	<b>70XFTP6</b>	SPLASH GUARD FOR FRY TOP MODULE 600
CR0985239	<b>70XFTP8</b>	SPLASH GUARD FOR FRY TOP MODULE 800
CR0592060	<b>NXFTT</b>	PLANCHA CLEANING PLUG