

POTATO HEATERS

Project
Rev.:
Zone:
Location:



CODICE
CR0856219

MODELLO
6NSP/E400

SERIE
SERIE 600

GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



TECHNICAL SPECIFICATIONS

The potato warmer is capable of holding a GN 1/1 H. 150 mm pan, which is kept at the right temperature by a combination of a lower heating element and an infrared ceramic heater, with independent switches. Adjustable temperature from 30-90°C.

The perforated false bottom facilitates the removal of the contents as well as the dripping of any superfluous oil.

POTATO HEATERS

Project
Rev.:
Zone:
Location:



CODICE
CR0856219

MODELLO
6NSP/E400

SERIE
SERIE 600

Technical Information

| SPECIFICATION | DATA |
|-----------------------|----------------------------------|
| MATERIAL | CR0856219 |
| DEFINITION | SCALDAPATATE EL.60 M40 6NSP/E400 |
| COMMERCIAL LINE | SERIE 600 |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 400 mm |
| DIM. PRODUCTIVITY | 600 mm |
| DIM. HEIGHT | 295 mm |
| NET WEIGHT | 17 Kg |
| VOLUME (net) | 0.071 |
| PACKAGE LENGTH | 680 mm |
| PACKAGE WIDTH | 410 mm |
| PACKAGING HEIGHT | 830 mm |
| PACKAGE VOLUME | 0,231 m3 |
| GROSS PACKING WEIGHT | 25 Kg |
| STANDARD POWER SUPPLY | 220-240V 1N |
| FREQUENCY | 50-60 Hz |
| ELECTRICAL POWER | 2 kW |
| IP GRADE | IPX3 |
| CERTIFIED MODEL | 6NSP/E400 |

POTATO HEATERS

Project
Rev.:
Zone:
Location:




CODICE
CR0856219

MODELLO
6NSP/E400

SERIE
SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -
ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - INSTALLATIONSRIJNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



CODICE
CR0856219

MODELLO
6NSP/E400

SERIE
SERIE 600

PRODUCT'S RANGE PLUS



The electric container is heated by a lower and an upper infrared heating element. The tank is suitable for holding GN bowls, with a perforated false bottom.



Equipment is certified and compliant with the Low Voltage Directive 2014/35/EU according to the international CB scheme