

# ELECTRIC PASTA COOKER 18.5 L

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0856149

MODELLO  
6NCP/E400

SERIE  
SERIE 600

## GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



## TECHNICAL SPECIFICATIONS

The equipment has high powers to ensure that water boiling is maintained.

The tank has a sufficiently large surface area to ensure drainage of foam due to dissolved starches and prevent it from escaping.

The equipment has a safety thermostat and an operation indicator lamp.

# ELECTRIC PASTA COOKER 18.5 L

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR0856149**

MODELLO  
**6NCP/E400**

SERIE  
**SERIE 600**

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR0856149
DEFINITION	CUOCIPASTA EL.60 M40 6NCP/E400
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	21 Kg
VOLUME (net)	0.071
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	780 mm
PACKAGING HEIGHT	670 mm
PACKAGE VOLUME	0,231 m3
GROSS PACKING WEIGHT	27 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	5.67 kW
IP GRADE	IPX4
CAPACITY	18.5
CERTIFIED MODEL	6NCP/E400

# ELECTRIC PASTA COOKER 18.5 L


Project .....  
 Rev.: .....  
 Zone: .....  
 Location: .....



CODICE CR0856149	MODELLO 6NCP/E400	SERIE SERIE 600
---------------------	----------------------	--------------------

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm  
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



### Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

- E Pressacavo entrata linea elettrica - Stopfbuchse  
 Electric cable stress relief - Presse etoupe de cable el  
 Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico
- H2O Attacco arrivo acqua Wasseranschluss Water inlet  
 Arrivõe eau Union de agua - Wateraansluiting - Jun Do alimenta Do Água  
 EN 10226 1 R 1/2
- S Attacco scarico acqua Wasserablauf Water outlet  
 Vidange de l'eau Desaguadero Waterafloppaansluiting - Jun Do descarga Água  
 EN 10226 1 R 1/2

## ELECTRIC PASTA COOKER 18.5 L

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0856149

MODELLO  
6NCP/E400

SERIE  
SERIE 600

# PRODUCT'S RANGE PLUS



The tank has fully radiused corners.  
The pasta cookers are equipped  
with a tap.



Equipment is certified and  
compliant with the Low Voltage  
Directive 2014/35/EU according to  
the international CB scheme

## ELECTRIC PASTA COOKER 18.5 L

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0856149

MODELLO  
6NCP/E400

SERIE  
SERIE 600

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR0858179	6NCCP	PASTA COOKER BASKET