

## 4-BURNER GAS COOKER ON ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1012459

MODELLO  
Q70PCF/GE8008

SERIE  
QUEEN 7

### GENERAL CHARACTERISTICS

For those who do not want to give up the quality and solidity of a Queen stove, the Series 7 offers a 700 mm depth and more compact dimensions to fit any room, burners available in various configurations and wattages, enhanced by the refined Scotch Brite finish.

Thanks to its extreme compositional freedom, every composition is possible: you can combine Model i tops with accessorizable oven and neutral bases and hygienic finishes; create customized solutions by matching and attaching equipment back to back, sideways "flush" perfectly sealed, or "bridge" structures, offering high-level solutions that always perfectly meet the chef's needs.

As a total guarantee, all equipment that make up a Queen7 kitchen are certified in compliance with international standards, including CE, GAR, AGA and others.



### TECHNICAL SPECIFICATIONS

Described as the cooking machines par excellence because they are indispensable in any environment and have great versatility for all types of cooking, gas cookers are available in many combinations, on top, on compartment or on oven.

Baron kitchens have a one-piece sealed molded top and can be equipped with a liquid drain hole and, upon request, a floor drain kit for complete top cleaning.

Entirely moulded top made from thick stainless steel plate.

Enameled cast iron grills with long spokes for easy movement of cookware between fires; Optional stainless rod grills are available.

High power cast iron burners (3.5 - 5.7 - 7 kW).

Piezo ignition of burners available as an option.

Oven - General Features

Stainless steel cooking chamber (57.2x58x30cm), thermally insulated and equipped with 3 anti-tip rails for Gastronorm 1/1 containers; maxi oven version with dimensions 79x55x40 cm.

Stainless steel door and counter door, perfectly insulated and mounted on self-balancing hinges.

Ergonomic full-length, thermally insulated handle

Enamelled cast-iron grills with long spokes for easy movement of pans between fires.

High power cast iron burners 3.5- 5.7- 7 kW.

Protected pilot flame with removable and easily washable protection.

Thanks to the jet-proofing certification obtained through specific tests, knobs and under-knobs can be washed at the end of the working day without compromising functionality and safety.

The front bar is a comfortable foothold for the cook; it keeps a safe distance from the worktop and thus protects against accidental collisions with what is resting on the worktops and at the same time the handles.

## 4-BURNER GAS COOKER ON ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1012459**

MODELLO  
**Q70PCF/GE8008**

SERIE  
**QUEEN 7**

### Technical Information

| SPECIFICATION            | DATA                                   |
|--------------------------|--|
| MATERIAL                 | CR1012459                              |
| DEFINITION               | Q70PCF/GE8008 4F SUPER POTENZ. C/F EL. |
| COMMERCIAL LINE          | QUEEN                                  |
| SUPPLY                   | MIXED                                  |
| DIM. WIDTH               | 800 mm                                 |
| DIM. PRODUCTIVITY        | 700 mm                                 |
| DIM. HEIGHT              | 870 mm                                 |
| NET WEIGHT               | 119 Kg                                 |
| VOLUME (net)             | 0.487                                  |
| PACKAGE LENGTH           | 850 mm                                 |
| PACKAGE WIDTH            | 850 mm                                 |
| PACKAGING HEIGHT         | 1150 mm                                |
| PACKAGE VOLUME           | 0,831 m3                               |
| GROSS PACKING WEIGHT     | 133.6 Kg                               |
| STANDARD POWER SUPPLY    | 380-415V 3N                            |
| FREQUENCY                | 50-60 Hz                               |
| ELECTRICAL POWER         | 6 kW                                   |
| GAS POWER                | 28                                     |
| GAS POWER (G25.3/25mbar) | 28,00                                  |
| N. FIRES/PLATES          | QUATTRO FUOCHI                         |
| IP GRADE                 | IPX4                                   |
| CERTIFIED MODEL          | Q70PCF/GE8008                          |

4-BURNER GAS COOKER ON ELECTRIC OVEN

CODICE  
CR1012459


MODELLO  
Q70PCF/GE8008

SERIE  
QUEEN 7

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



| Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda   |  |
|---|--|
| <b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico   | <b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás<br>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK) |
| <b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água  | <b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água                           |
| <b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba  | <b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno<br><b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio                        |
| <b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão  | <b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível                                |
| <b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto |  |
| <b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno   |  |

## 4-BURNER GAS COOKER ON ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1012459

MODELLO  
Q70PCF/GE8008

SERIE  
QUEEN 7


# PRODUCT'S RANGE PLUS



Protected pilot flame with removable and easily washable protection.



Self-cleaning version with liquid drain hole, electric ignition and flat connection kit



Entirely moulded top made from thick stainless steel plate.



Enamelled cast-iron grills with long spokes for easy movement of pans between fires.



High power cast iron burners 3.5-5.7 and 7 kW.

## 4-BURNER GAS COOKER ON ELECTRIC OVEN

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1012459**

MODELLO  
**Q70PCF/GE8008**

SERIE  
**QUEEN 7**

### ACCESSORIES

| CODE           | MODELLO          | DESCRIZIONE   |
|----------------|------------------|---|
| BN418031910010 | <b>7PRL</b>      | SMOOTH RADIANT PLATE  |
| BN418031910020 | <b>7PRR</b>      | RIBBED RADIANT PLATE  |
| BN418031920010 | <b>N7BA</b>      | REMOVABLE BASIN   |
| CR1353949      | <b>CR1353949</b> | STAINLESS STEEL TWO-FIRE GRILL  |
| BN41C1500086   | <b>ACC2FP</b>    | Electric ignition   |
| BN41C1500087   | <b>ACC4FP</b>    | Electric ignition   |
| BN41C1700144   | <b>ACC6FP</b>    | Electric ignition   |
| AES-2F         | <b>AES-2F</b>    | Surcharge for version with self-cleaning top - optional to be requested when ordering |
| AES-4F         | <b>AES-4F</b>    | Surcharge for version with self-cleaning top - optional to be requested when ordering |
| AES-6F         | <b>AES-6F</b>    | Surcharge for version with self-cleaning top - optional to be requested when ordering |
| AES-8F         | <b>AES-8F</b>    | Surcharge for version with self-cleaning top - optional to be requested when ordering |