

GAS PASS-THROUGH SOLID TOP - TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1011099

MODELLO
N1100TP/900

SERIE
SERIE GIANO

GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Polished steel cooking plate.

Plate heating (4 zones) by means of 4 kW heating elements.

Temperature regulation of heating elements from 50 to 400°C by thermostat.

Heating activity indicator light.

GAS PASS-THROUGH SOLID TOP - TOP VERSION

Project
Rev.:
Zone:
Location:



CODICE
CR1011099

MODELLO
N1100TP/900

SERIE
SERIE GIANO

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1011099
DEFINITION	N1100TP/900 TUTTAPIASTRA GAS M90 TOP
COMMERCIAL LINE	SERIE 1100
SUPPLY	GAS
DIM. WIDTH	900 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	280 mm
NET WEIGHT	174 Kg
VOLUME (net)	0.277
PACKAGE LENGTH	1260 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	1,477 m3
GROSS PACKING WEIGHT	200 Kg
GAS POWER	14
GAS POWER (G25.3/25mbar)	13,50
GAS/REFRIGERANT TYPE	GPL 28-30/37 mbar
CERTIFIED MODEL	N1100TP/900

Project
Rev.:
Zone:
Location:



GAS PASS-THROUGH SOLID TOP - TOP VERSION

CODICE
CR1011099

MODELLO
N1100TP/900

SERIE
SERIE GIANO