

ELECTRIC PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0993219

MODELLO
N1100TPF/E900

SERIE
SERIE GIANO

GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Polished steel cooking plate.

Plate heating (4 zones) by means of 4 kW heating elements.

Temperature regulation of heating elements from 50 to 400°C by thermostat.

Heating activity indicator light.

ELECTRIC PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0993219

MODELLO
N1100TPF/E900

SERIE
SERIE GIANO

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0993219
DEFINITION	N1100TPF/E900 TUTTAPIAS. EL. M90 C/F EL.
COMMERCIAL LINE	SERIE 1100
SUPPLY	ELECTRICS
DIM. WIDTH	900 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	860 mm
NET WEIGHT	123.25 Kg
VOLUME (net)	0.861
PACKAGE LENGTH	1020 mm
PACKAGE WIDTH	1260 mm
PACKAGING HEIGHT	1100 mm
PACKAGE VOLUME	1,410 m3
GROSS PACKING WEIGHT	145 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	25 kW
IP GRADE	IPX5
CAPACITY	26 litri
CERTIFIED MODEL	N1100TPF/E900

ELECTRIC PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0993219

MODELLO
N1100TPF/E900

SERIE
SERIE GIANO

