

4-ZONE ELECTRIC GLASS-CERAMIC COOKER WITH ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0855869

MODELLO
6NPC/IFEV722P

SERIE
SERIE 600

GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



TECHNICAL SPECIFICATIONS

Kitchens with glass-ceramic countertops are available with 2 or 4 cooking zones that are marked with a circular screen print.

The energy controller allows you to set the temperature, and an indicator lamp signals any residual heat on the top.

Static or ventilated GN 1/1 electric oven with adjustable temperature from 110-280°C.

The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

4-ZONE ELECTRIC GLASS-CERAMIC COOKER WITH ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0855869

MODELLO
6NPC/IFEV722P

SERIE
SERIE 600

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0855869
DEFINITION	IRRAGG.4 Z./P F.E./V.60 M70 6NPC/IFEV722P
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	700 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	870 mm
NET WEIGHT	66 Kg
VOLUME (net)	0.365
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0 mm
PACKAGING HEIGHT	0 mm
PACKAGE VOLUME	0,000 m3
GROSS PACKING WEIGHT	71 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	14.2 kW
IP GRADE	IPX3
CERTIFIED MODEL	6NPC/IFEV722P

4-ZONE ELECTRIC GLASS-CERAMIC COOKER WITH ELECTRIC OVEN

Project
 Rev.:
 Zone:
 Location:




CODICE
CR0855869

MODELLO
6NPC/IFEV722P

SERIE
SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
 MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupe de cable el Pisacable - Elektrische kabelwartel

4-ZONE ELECTRIC GLASS-CERAMIC COOKER WITH ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR0855869

MODELLO
6NPC/IFEV722P

SERIE
SERIE 600

PRODUCT'S RANGE PLUS



The glass-ceramic cookers are available in two versions: standard with a total output of 16.4 kW and enhanced with 18.4 kW in total.



The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.

Equipment is certified and compliant with the Low Voltage Directive 2014/35/EU according to the international CB scheme

