

Blast Chiller/Freezer 16 GN 1/1 - 600x400 - R290A Gas - Built-in Motor

Project
Rev.:
Zone:
Location:



CODICE
BN2ABM160335

MODELLO
BEL 16

SERIE
BLAST CHILLERS

GENERAL CHARACTERISTICS

Baron professional blast chiller
with function of: Blast chilling - Deep-freezing, supplied with core
probe as standard and electronic control with LCD display
interface.

This professional blast chiller can work in automatic cycle or with
settable time.

Baron professional blast chillers use R452A refrigerant gas, have a
timed manual defrost function and are prepared for the defrost
water collection tray (GN 1/1 H40 size).

Draining the defrosting water is easy thanks to the moulded
bottom.



TECHNICAL SPECIFICATIONS

Monocoque construction in AISI304 Scotch-Brite satin stainless steel
Internal rounded structure in AISI 304 stainless steel
Manual defrosting device
Ergonomic full-height handle and magnetic seal on 4 sides of the door
heated single point probe
Electronic fans
Water condensation (optional)
GAS R290A
Electronic control via soft touch display
GAS R290A
Touch screen control

Monocoque construction in AISI304 Scotch-Brite satin stainless steel
Internal rounded structure in AISI 304 stainless steel
Manual defrosting device
Ergonomic full-height handle and magnetic seal on 4 sides of the door
heated single point probe
Manual defrosting device
Electronic fans
Water condensation (optional)

Blast Chiller/Freezer 16 GN 1/1 - 600x400 - R290A Gas -
Built-in Motor

Project
Rev.:
Zone:
Location:



CODICE BN2ABM160335	MODELLO BEL 16	SERIE BLAST CHILLERS
------------------------	-------------------	-------------------------

Technical Information

SPECIFICATION	DATA
MATERIAL	BN2ABM160335
DEFINITION	ABBATTITORE/SURGELATORE 16 GN 1/1 - 600x400 - GAS R290A - MOTORE A BORDO
SUPPLY	ELECTRICS
DIM. WIDTH	790 mm
DIM. PRODUCTIVITY	890 mm
DIM. HEIGHT	1950 mm
NET WEIGHT	210 Kg
PACKAGE LENGTH	950 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	2045 mm
PACKAGE VOLUME	1.5705875 m3
GROSS PACKING WEIGHT	227 Kg
STANDARD POWER SUPPLY	380-420V 3N
ELECTRICAL POWER	4.737 kW
GAS/REFRIGERANT TYPE	R290
REFRIGERATION POWER	7.659
CAPACITY	296

Blast Chiller/Freezer 16 GN 1/1 - 600x400 - R290A Gas -
Built-in Motor

Project
Rev.:
Zone:
Location:



CODICE
BN2ABM160335

MODELLO
BEL 16

SERIE
BLAST CHILLERS

Blast Chiller/Freezer 16 GN 1/1 - 600x400 - R290A Gas - Built-in Motor

Project
Rev.:
Zone:
Location:



CODICE
BN2ABM160335


MODELLO
BEL 16

SERIE
BLAST CHILLERS

PRODUCT'S RANGE PLUS



Heated core probe with 1 measuring point.



Copper-aluminum evaporator coil, with anticorrosive cataphoresis treatment, with flag-opening baffle on hinges, for cleaning



User-friendly digital control. Quick and intuitive is an aid in daily work.



Thanks to the R290 gas supplied as standard for all available versions, Olis guarantees care and sustainability in all aspects of its product development.



AISI 304 stainless steel plate-rack support, with removable ANTI-BRIEFING pairs of AISI 304 stainless steel rails, interlocking positionable every 20 mm for GN1/1 or 600x400.