

MULTIPLE MONOBLOC WITH 21 L TANK - L600

Project
Rev.:
Zone:
Location:



CODICE
CR0856179

MODELLO
6NBF/E600

SERIE
SERIE 600

GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



TECHNICAL SPECIFICATIONS

The multifunction braising pan is the ideal equipment to be used as both a fry-top and a braising pan and is equipped with an AISI 304 stainless steel tank.

Heating is by electric heating element with safety thermostat and operation indicator light.

Drainage of the tank is by means of drain hole of appropriate diameter closed by a stainless steel plug.

MULTIPLE MONOBLOC WITH 21 L TANK - L600

Project
Rev.:
Zone:
Location:



CODICE
CR0856179

MODELLO
6NBF/E600

SERIE
SERIE 600

Technical Information

| SPECIFICATION | DATA |
|-----------------------|------------------------------|
| MATERIAL | CR0856179 |
| DEFINITION | MULTIPLA EL.60 M60 6NBF/E600 |
| COMMERCIAL LINE | SERIE 600 |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 600 mm |
| DIM. PRODUCTIVITY | 600 mm |
| DIM. HEIGHT | 870 mm |
| NET WEIGHT | 81.7 Kg |
| VOLUME (net) | 0.313 |
| PACKAGE LENGTH | 690 mm |
| PACKAGE WIDTH | 690 mm |
| PACKAGING HEIGHT | 1050 mm |
| PACKAGE VOLUME | 0,500 m3 |
| GROSS PACKING WEIGHT | 89 Kg |
| STANDARD POWER SUPPLY | 380-415V 3N |
| FREQUENCY | 50-60 Hz |
| ELECTRICAL POWER | 8.1 kW |
| IP GRADE | IPX4 |
| CAPACITY | 21 |
| CERTIFIED MODEL | 6NBF/E600 |

MULTIPLE MONOBLOC WITH 21 L TANK - L600

Project
Rev.:
Zone:
Location:




CODICE
CR0856179

MODELLO
6NBF/E600

SERIE
SERIE 600

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel