

# 4-BURNER PASS-THROUGH COOKER - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1011659

MODELLO  
N1100PCVP/G9003

SERIE  
SERIE GIANO

## GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



## TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Burners of 3.5, 5.7, 7 and 10 kW with stabilized flame, made of cast iron.

Taps equipped with safety thermocouple with pilot flame.

Black acid-resistant enamelled cast iron grids with long spokes for holding small pans.

Steel drip pans (optional).

# 4-BURNER PASS-THROUGH COOKER - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1011659

MODELLO  
N1100PCVP/G9003

SERIE  
SERIE GIANO

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1011659
DEFINITION	N1100PCVP/G9003 4 FUOCHI A/G C/PORTA P
COMMERCIAL LINE	SERIE 1100
SUPPLY	GAS
DIM. WIDTH	900 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	870 mm
NET WEIGHT	139 Kg
VOLUME (net)	0.861
PACKAGE LENGTH	1260 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	1,414 m3
GROSS PACKING WEIGHT	165 Kg
GAS POWER	29.7
GAS POWER (G25.3/25mbar)	29,70
GAS/REFRIGERANT TYPE	METANO "H, E" G20 20/25mbar
N. FIRES/PLATES	QUATTRO FUOCHI
CERTIFIED MODEL	N1100PCVP/G90

4-BURNER PASS-THROUGH COOKER - ON CABINET  
WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....




CODICE  
CR1011659

MODELLO  
N1100PCVP/G9003

SERIE  
SERIE GIANO

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -  
ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda			
<b>E</b>	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	<b>G</b>	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás <b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b>
<b>S</b>	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Waterafropaansluiting - Junção descarga água	<b>H20</b>	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
<b>S1</b>	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1 =</b>	Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
<b>S2</b>	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	<b>A2 =</b>	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S3</b>	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de água interstícios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	<b>L</b>	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível
<b>S4</b>	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno		

## 4-BURNER PASS-THROUGH COOKER - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR1011659**

MODELLO  
**N1100PCVP/G9003**

SERIE  
**SERIE GIANO**

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
BN418031910030	<b>PRL</b>	Radiant plate for 1 fire
BN418031910040	<b>PRR</b>	Radiant plate for 1 fire
BN418031920020	<b>9GF</b>	GN2/1 chrome oven rack
BN418031910180	<b>N9BA</b>	Removable bowl for 2 burners
CR1353959	<b>CR1353959</b>	Stainless rod bi-fire grate
BN41C1500086	<b>ACC2FP</b>	Electric ignition
BN41C1500087	<b>ACC4FP</b>	Electric ignition
BN41C1700144	<b>ACC6FP</b>	Electric ignition
AES-2F	<b>AES-2F</b>	Surcharge for version with self-cleaning top - optional to be requested when ordering
AES-4F	<b>AES-4F</b>	Surcharge for version with self-cleaning top - optional to be requested when ordering
AES-6F	<b>AES-6F</b>	Surcharge for version with self-cleaning top - optional to be requested when ordering