

# ELECTRIC PASS-THROUGH FRY-TOP PLATE 1/2 SMOOTH 1/2 GROOVED - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1011019

MODELLO  
N1100FTVP/E920

SERIE  
SERIE GIANO

## GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



## TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Cooking plate made of soft iron (normal plate), coated with polished hard chrome (chrome plate).

Large fat collection drawer.

Heating by means of armoured incoloy heating elements.

Thermostatically controlled and adjustable baking temperature from 50 to 300°C.

Safety thermostat.

# ELECTRIC PASS-THROUGH FRY-TOP PLATE 1/2 SMOOTH 1/2 GROOVED - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1011019

MODELLO  
N1100FTVP/E920

SERIE  
SERIE GIANO

## Technical Information

| SPECIFICATION         | DATA                                    |
|-----------------------|---|
| MATERIAL              | CR1011019                               |
| DEFINITION            | N1100FTVP/E920 FTE 1/2 RIG. M90 A/G C/P |
| COMMERCIAL LINE       | SERIE 1100                              |
| SUPPLY                | ELECTRICS                               |
| DIM. WIDTH            | 900 mm                                  |
| DIM. PRODUCTIVITY     | 1100 mm                                 |
| DIM. HEIGHT           | 870 mm                                  |
| NET WEIGHT            | 131.75 Kg                               |
| VOLUME (net)          | 0.861                                   |
| PACKAGE LENGTH        | 1020 mm                                 |
| PACKAGE WIDTH         | 1260 mm                                 |
| PACKAGING HEIGHT      | 1100 mm                                 |
| PACKAGE VOLUME        | 1,410 m3                                |
| GROSS PACKING WEIGHT  | 155 Kg                                  |
| STANDARD POWER SUPPLY | 380-415V 3N                             |
| FREQUENCY             | 50-60 Hz                                |
| ELECTRICAL POWER      | 20 kW                                   |
| IP GRADE              | IPX4                                    |
| CERTIFIED MODEL       | N1100FTVP/E920                          |

ELECTRIC PASS-THROUGH FRY-TOP PLATE 1/2  
SMOOTH 1/2 GROOVED - ON CABINET WITH DOORS

|           |                |             |
|-----------|----------------|-------------|
| CODICE    | MODELLO        | SERIE       |
| CR1011019 | N1100FTVP/E920 | SERIE GIANO |

Project .....  
Rev.: .....  
Zone: .....  
Location: .....

