

2-ZONE ELECTRIC INDUCTION COOKER

Project
Rev.:
Zone:
Location:



CODICE
CR1359059

MODELLO
DI7PCIND401

SERIE
DROP-IN 7

GENERAL CHARACTERISTICS



TECHNICAL SPECIFICATIONS

2-ZONE ELECTRIC INDUCTION COOKER

Project
Rev.:
Zone:
Location:



CODICE
CR1359059

MODELLO
DI7PCIND401

SERIE
DROP-IN 7

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1359059
DEFINITION	DI7PCIND401 INDUZIONE TOP M40 DROP-IN
COMMERCIAL LINE	SERIE DROP IN
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	625 mm
DIM. HEIGHT	250 mm
NET WEIGHT	22 Kg
VOLUME (net)	0.063
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	440 mm
PACKAGING HEIGHT	540 mm
PACKAGE VOLUME	0,200 m3
GROSS PACKING WEIGHT	32.6 Kg
STANDARD POWER SUPPLY	400V 3
FREQUENCY	50/60 Hz
ELECTRICAL POWER	10 kW
IP GRADE	IPX4
CERTIFIED MODEL	DI7PCIND401

2-ZONE ELECTRIC INDUCTION COOKER


CODICE CR1359059	MODELLO DI7PCIND401	SERIE DROP-IN 7
---------------------	------------------------	--------------------

Project
Rev.:
Zone:
Location:



MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm

NI74TED	DPCI40
DPCI40	DI7PCIND400



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda	
E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água
S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukkelep - Válvula de depressão	
S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de água interstícios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	
S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível

2-ZONE ELECTRIC INDUCTION COOKER

Project
Rev.:
Zone:
Location:



CODICE
CR1359059

MODELLO
DI7PCIND401

SERIE
DROP-IN 7

PRODUCT'S RANGE PLUS




Safety sensor to prevent
overheating.



Ensures the correct positioning and
suitability of the pot



Cooking zones with 5KW power



Serigraphs identifying cooking
zones.