

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657579

MODELLO  
Q90SGV/G400

SERIE  
QUEEN 9

## GENERAL CHARACTERISTICS

It is the choice of those who need maximum strength and power. Queen9 is distinguished by its 900 mm depth, a 20/10-thick work surface, double-crown burners, and the use of elegant stainless steel with a Scotch Brite finish.

Details that not only offer maximum functionality and aesthetics, but also take into account the practical and ergonomic needs of those who work.

The extreme freedom of composition allows top models to be combined with accessorizable oven and neutral base units, even with hygienic finishes.

With more than 350 models immediately available in the catalog, Queen9 is already ready to start giving its best.

In addition, all equipment that makes up a Queen9 kitchen is certified in compliance with international standards, including CE, GAR, AGA and others.



## TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.

Canal with drainage hole and removable grease and residue collection.

Internal drawer for collecting residues.

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions.

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



|                     |                        |                  |
|---------------------|------------------------|------------------|
| CODICE<br>CR1657579 | MODELLO<br>Q90SGV/G400 | SERIE<br>QUEEN 9 |
|---------------------|------------------------|------------------|

Technical Information

| SPECIFICATION            | DATA                                  |
|--------------------------|---------------------------------------|
| MATERIAL                 | CR1657579                             |
| DEFINITION               | Q90SGV/G400 GRIGLIA GAS CARNE M40 A/G |
| COMMERCIAL LINE          | QUEEN                                 |
| SUPPLY                   | GAS                                   |
| DIM. WIDTH               | 400 mm                                |
| DIM. PRODUCTIVITY        | 900 mm                                |
| DIM. HEIGHT              | 870 mm                                |
| NET WEIGHT               | 1 Kg                                  |
| VOLUME (net)             | 0.313                                 |
| PACKAGE LENGTH           | 440 mm                                |
| PACKAGE WIDTH            | 1020 mm                               |
| PACKAGING HEIGHT         | 1160 mm                               |
| PACKAGE VOLUME           | 0,522 m3                              |
| GROSS PACKING WEIGHT     | 2 Kg                                  |
| GAS POWER                | 12.5                                  |
| GAS POWER (G25.3/25mbar) | 12,00                                 |
| CERTIFIED MODEL          | 90SGV/G4                              |

Super GAS Grid M40 - Stainless steel grid - M40 on compartment

CODICE  
CR1657579

MODELLO  
Q90SGV/G400

SERIE  
QUEEN 9

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



| Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda   |   |
|---|---|
| <b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwattel - Entrada cabo eléctrico   | <b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás<br><b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b> |
| <b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água  | <b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água                                  |
| <b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba  | <b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno<br><b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio                               |
| <b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão  | <b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel                                       |
| <b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de água interstícios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto |   |
| <b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno   |   |

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657579

MODELLO  
Q90SGV/G400

SERIE  
QUEEN 9

## PRODUCT'S RANGE PLUS



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



Smoker that can be installed on models M40-M80 - M120 for a barbecue flavour menu. Made of AISI304 stainless steel. Kit equipped with a guide for sliding the smoker box. The smoker box can be filled with wood shavings or food-grade wood pellets and replaced while the grill is in use.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



HUMIDIFIER accessory for optimal management of several types of cooking.



In the tap versions, the power is regulated by a Type 22PP enhanced flow tap that can be modulated for continuous operation to adapt the heat of the hotplate according to the type of cooking.



Grill height adjustment for handling different types of cooking

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1657579

MODELLO  
Q90SGV/G400

SERIE  
QUEEN 9

## ACCESSORIES

| CODE      | MODELLO | DESCRIZIONE                       |
|-----------|---------|-----------------------------------|
| CR1658229 | Q9CAA   | M40 STEEL FLAME ARRESTERS         |
| CR1658239 | Q9CAG   | CAST IRON FLAME ARRESTORS M40     |
| CR1658249 | Q9KP4   | M40 STONEWARE KIT                 |
| CR1353909 | DCPL6   | Lava stone package 4 kg           |
| CR1658259 | Q9AF    | Q90 SUPER GRILL SMOKER KIT        |
| CR1658279 | Q92GG   | Cast Iron Grid M40 D9             |
| CR1658289 | Q92GTI  | Stainless steel rod grille M40 D9 |
| CR1658549 | Q92GI   | Stainless Grid M40 Q9             |