

# REFRIGERATED BASE BT -15/-20°C 120CM

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
BN20702040400

MODELLO  
BR912 BT

SERIE  
DIAMANTE 90 TOUCH

## GENERAL CHARACTERISTICS

Diamond 90 Touch - Everything under control  
Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.  
Tradition and innovation, everything on your worktop  
A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown.  
Quick and precise parameter selection.  
Easy and clear temperature management.  
Special functions always visible and accessible from the display.  
Stainless steel outer shells and feet.  
Height from the work surface adjustable from 840 to 900mm.  
Tops with 2 mm thickness



## TECHNICAL SPECIFICATIONS

# REFRIGERATED BASE BT -15/-20°C 120CM

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
BN20702040400

MODELLO  
BR912 BT

SERIE  
DIAMANTE 90 TOUCH

## Technical Information

SPECIFICATION	DATA
MATERIAL	BN20702040400
SUPPLY	ELECTRICS
DIM. WIDTH	1200 mm
DIM. PRODUCTIVITY	840 mm
DIM. HEIGHT	590 mm
STANDARD POWER SUPPLY	220-240V 1N
ELECTRICAL POWER	0.6 kW

# REFRIGERATED BASE BT -15/-20°C 120CM

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
BN20702040400

MODELLO  
BR912 BT

SERIE  
DIAMANTE 90 TOUCH

## REFRIGERATED BASE BT -15/-20°C 120CM

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**BN20702040400**

MODELLO  
**BR912 BT**

SERIE  
**DIAMANTE 90 TOUCH**

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
BN0221600207	<b>BN0221600207</b>	Frame for Top installation on refrigerated base 120