

# HYPER TECH WASH PLUS - BPHTW2SPLUS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
BND212089

MODELLO  
BPHTW2SPLUS

SERIE  
WASHING

## GENERAL CHARACTERISTICS

Professional dishwashers designed to meet the needs for efficient and rapid cleaning of dishes and utensils in commercial settings, such as restaurants, hotels, and similar food facilities.

Baron professional equipment is designed to handle a high volume of dishes and ensure high hygiene standards in commercial settings.



## TECHNICAL SPECIFICATIONS

The new technology of potwashers allows you to easily and intuitively follow all the stages of your potwashing process directly from the control panel. The innovative rinsing circuit, the energy saving function (a device that optimises energy functions avoiding unnecessary waste) the high

level of performance and the high quality materials make these machines extremely competitive and versatile.

# HYPER TECH WASH PLUS - BPHTW2SPLUS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**BND212089**

MODELLO  
**BPHTW2SPLUS**

SERIE  
**WASHING**

## Technical Information

SPECIFICATION	DATA
MATERIAL	BND212089
DEFINITION	BPHTW2SPLUS LAVAOGGETTI EL. 70X70
DIM. WIDTH	840 mm
DIM. PRODUCTIVITY	885 mm
DIM. HEIGHT	1790 mm
NET WEIGHT	0 Kg
PACKAGE LENGTH	940 mm
PACKAGE WIDTH	900 mm
PACKAGING HEIGHT	1940 mm
PACKAGE VOLUME	1,641 m3
GROSS PACKING WEIGHT	227 Kg
STANDARD POWER SUPPLY	380-415V 3N
ELECTRICAL POWER	12.5 kW
BASKET SIZE	700x700 mm
WASH CYCLES	3/6/9/12 min
WASH PUMP	1750W
WATER CONSUMPTION	4,3 lt

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



## HYPER TECH WASH PLUS - BPHTW2SPLUS

CODICE  
**BND212089**

MODELLO  
**BPHTW2SPLUS**

SERIE  
**WASHING**

## HYPER TECH WASH PLUS - BPHTW2SPLUS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
BND212089

MODELLO  
BPHTW2SPLUS

SERIE  
WASHING

# PRODUCT'S RANGE PLUS



Stabilized pressure rinsing and constant boiler water temperature of 85°C. Thanks to the atmospheric boiler, mixing of mains water in the rinse phase is avoided. The PLUS system also ensures greater control and correct dosing of rinse aid in each cycle.



Fully molded basin. Independent stainless steel wash/rinse arms



Double-walled door