

CUPBOARD TABLES-2 DOORS AND 1 LOWER SHELF

Project
Rev.:
Zone:
Location:



CODICE
BNN54070120

MODELLO
NAP712PS

SERIE
PREPARATION

GENERAL CHARACTERISTICS

Indispensable for a functional kitchen, the preparation range offers a wide choice of models for preparation

The tables on legs, cabinets, with drawers, sinks, wall units and dish cupboards are all made of stainless steel.

The care in the workmanship guarantees an excellent combination of elements and easy cleaning.



TECHNICAL SPECIFICATIONS

STAINLESS STEEL WORKTOP 18/10 AISI 304 SB Height 40 mm, Reinforced with laminated wood panel, Backsplash 100x15 mm

18/10 AISI 304 STAINLESS STEEL SHELL

Recessed with respect to the top by 20 mm at the front, flush at the rear

18/10 AISI 304 STAINLESS STEEL SHELF

Longitudinal reinforcement at center of shelf adjustable in height on racks

18/10 AISI 304 STAINLESS STEEL DOORS

Front with recessed handle with inside counter door

SLIDES

Upper slide with bearings, lower slide with PVC skid on PVC double-

channel guides

SASHES

Closure with magnets and rotary opening

FEET

Round foot made of 18/10 AISI 304 stainless steel, with leveler

Scotch-Brite stainless steel execution. Worktop. Water-repellent and sound-absorbing.

Soundproof sliding doors and height-adjustable intermediate shelf.

Adjustable round feet.

Can be equipped with castors.

CUPBOARD TABLES-2 DOORS AND 1 LOWER SHELF

Project
Rev.:
Zone:
Location:



CODICE
BNN54070120

MODELLO
NAP712PS

SERIE
PREPARATION

Technical Information

SPECIFICATION	DATA
MATERIAL	BNN54070120
DEFINITION	TAVOLO ARMADIO R10 C/PORTE SAP712PS
SUPPLY	NO
DIM. WIDTH	1200 mm
DIM. PRODUCTIVITY	700 mm
DIM. HEIGHT	900 mm
NET WEIGHT	52 Kg
VOLUME (net)	1
PACKAGE LENGTH	1240 mm
PACKAGE WIDTH	740 mm
PACKAGING HEIGHT	1040 mm
PACKAGE VOLUME	1,000 m3
GROSS PACKING WEIGHT	67 Kg
CERTIFIED MODEL	SAP712PS

CUPBOARD TABLES-2 DOORS AND 1 LOWER SHELF


Project
Rev.:
Zone:
Location:



CODICE
BNN54070120

MODELLO
NAP712PS

SERIE
PREPARATION



The company declines all responsibility for possible printing errors, guarding herself the right to make changes to dimensions and specifications if necessary without notices.