

MULTIFUNCTIONAL BRATT PAN - ON CABINET WITH DOORS

Project
Rev.:
Zone:
Location:



CODICE
CR0997199

MODELLO
N550BRF/E900

SERIE
SERIE GIANO

GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

All-steel fixed tank.

Resistances placed under the bottom.

Adjustable temperature from 50 to 300°C.

MULTIFUNCTIONAL BRATT PAN - ON CABINET WITH DOORS

Project
Rev.:
Zone:
Location:



CODICE
CR0997199

MODELLO
N550BRF/E900

SERIE
SERIE GIANO

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0997199
DEFINITION	N550BRF/E900 BRASIERA FISSA M90 A/G C/P
SUPPLY	ELECTRICS
DIM. WIDTH	480 mm
DIM. PRODUCTIVITY	1250 mm
DIM. HEIGHT	1160 mm
NET WEIGHT	86.7 Kg
VOLUME (net)	0.696
PACKAGE LENGTH	650 mm
PACKAGE WIDTH	940 mm
PACKAGING HEIGHT	1250 mm
PACKAGE VOLUME	0,760 m3
GROSS PACKING WEIGHT	102 Kg
STANDARD POWER SUPPLY	220-240V 1N
FREQUENCY	50/60 Hz
ELECTRICAL POWER	4.5 kW
N. FIRES/PLATES	DUE FUOCHI
IP GRADE	IPX4
CERTIFIED MODEL	N550BRF/E900

MULTIFUNCTIONAL BRATT PAN - ON CABINET WITH DOORS

Project
Rev.:
Zone:
Location:



CODICE
CR0997199

MODELLO
N550BRF/E900

SERIE
SERIE GIANO