

## FLOOR FURNACE H800

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0998689

MODELLO  
FOGV508


SERIE  
SERIE 600

### GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports.

The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach.

All models are CE approved.



### TECHNICAL SPECIFICATIONS

## FLOOR FURNACE H800

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR0998689

MODELLO  
FOGV508

SERIE  
SERIE 600

### Technical Information

SPECIFICATION	DATA
MATERIAL	CR0998689
DEFINITION	FOGV 508 12,5Kw FORNELL. 1F H=800 BARON
COMMERCIAL LINE	FORNELLONI
SUPPLY	GAS
DIM. WIDTH	590 mm
DIM. PRODUCTIVITY	630 mm
DIM. HEIGHT	590 mm
NET WEIGHT	0 Kg
VOLUME (net)	0.219
PACKAGE LENGTH	710 mm
PACKAGE WIDTH	690 mm
PACKAGING HEIGHT	560 mm
PACKAGE VOLUME	0,274 m3
GROSS PACKING WEIGHT	0 Kg
GAS POWER	12.5
GAS POWER (G25.3/25mbar)	11,50
CERTIFIED MODEL	FOGV 50

# FLOOR FURNACE H800

Project .....  
Rev.: .....  
Zone: .....  
Location: .....




CODICE  
CR0998689

MODELLO  
FOGV508

SERIE  
SERIE 600

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

<b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	<b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás <b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b>
<b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de água - Wateraansluiting - Junção alimentação água
<b>S1</b> Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno <b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	
<b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto	
<b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	<b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível

## FLOOR FURNACE H800

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
**CR0998689**

MODELLO  
**FOGV508**

SERIE  
**SERIE 600**

### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
2520821	<b>31SG</b>	L45 COOKER SUPPORTS
2520822	<b>32SG</b>	L90 COOKER SUPPORTS