

# ELECTRIC THROUGH-BATH - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1010299

MODELLO  
N1100BGVP/E450

SERIE  
SERIE GIANO

## GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



## TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Gastronorm tub size (2x 2/3).

Manual water loading by dispenser.

Perforated false bottom for supporting containers.

Tub equipped with an overflow level.

GAS

Temperature adjustable from 55°C to 90°C.

Burner controlled by thermostatic valves with safety thermocouple.

Piezo ignition.

ELECTRICAL

Temperature adjustable from 30°C to 90°C.

Armoured heating elements positioned outside the tank.

Heating activity indicator light.

# ELECTRIC THROUGH-BATH - ON CABINET WITH DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1010299

MODELLO  
N1100BGVP/E450

SERIE  
SERIE GIANO

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1010299
DEFINITION	N1100BGVP/E450 BAGNOM. ELE. M45 A/G C/P
COMMERCIAL LINE	SERIE 1100
SUPPLY	ELECTRICS
DIM. WIDTH	450 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	870 mm
NET WEIGHT	88 Kg
VOLUME (net)	0.431
PACKAGE LENGTH	510 mm
PACKAGE WIDTH	1280 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	0,751 m3
GROSS PACKING WEIGHT	110 Kg
STANDARD POWER SUPPLY	220-240V 1N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	2.2 kW
MINIMUM PRESSURE	150
MAXIMUM PRESSURE	500
IP GRADE	IPX4
CERTIFIED MODEL	N1100BGVP/E450

ELECTRIC THROUGH-BATH - ON CABINET WITH  
DOORS

Project .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1010299

MODELLO  
N1100BGVP/E450

SERIE  
SERIE GIANO