

GAS PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR1011139

MODELLO
N1100TPF/GE900

SERIE
SERIE GIANO

GENERAL CHARACTERISTICS

The Giano pass-through Series appliances are characterized by their great versatility, the perfect combination of modules, and their robustness, thanks to 2 mm thick laser-cut AISI 304 cooking surfaces.

These peculiarities make it possible to make firing blocks according to specific customer requirements.

Reliability and high efficiency are ensured by the use of tested components and the high efficiency of the heating elements used.

Support bases can be equipped with pass-through ovens, ventilated hot cabinets, neutral, or cantilevered or bridged.

Machines all complying with CE regulations.

RAL paint treatment can be requested.



TECHNICAL SPECIFICATIONS

Stainless steel outer coatings and Scotch Brite finish.

Tops with a thickness of 2 mm.

Contoured dashboards with controls angled toward the operator.

Polished steel cooking plate.

Plate heating (4 zones) by means of 4 kW heating elements.

Temperature regulation of heating elements from 50 to 400°C by thermostat.

Heating activity indicator light.

GAS PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

Project
Rev.:
Zone:
Location:



CODICE
CR1011139

MODELLO
N1100TPF/GE900

SERIE
SERIE GIANO

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1011139
DEFINITION	N1100TPF/GE900 TUTTAPIA.GAS M90 C/F ELE.
COMMERCIAL LINE	SERIE 1100
SUPPLY	MIXED
DIM. WIDTH	900 mm
DIM. PRODUCTIVITY	1100 mm
DIM. HEIGHT	870 mm
NET WEIGHT	58.65 Kg
VOLUME (net)	0.861
PACKAGE LENGTH	1020 mm
PACKAGE WIDTH	1260 mm
PACKAGING HEIGHT	570 mm
PACKAGE VOLUME	0,730 m3
GROSS PACKING WEIGHT	69 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	9 kW
GAS POWER	14
GAS POWER (G25.3/25mbar)	13,50
IP GRADE	IPX4
CERTIFIED MODEL	N1100TPF/GE900

GAS PASS-THROUGH SOLID TOP - ON ELECTRIC OVEN

CODICE	MODELLO	SERIE
CR1011139	N1100TPF/GE900	SERIE GIANO

Project
Rev.:
Zone:
Location:

